

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.51

Julius Anthony FELS 1934 *

PLANT LIST

1933-1934

Foreign Rock Plants

<i>Acaena buchanani</i>	.20	<i>Campanula pusilla</i>	.25
<i>Acaena glauca</i>	.20	<i>Campanula pusilla alba</i>	.30
<i>Aethionema coridifolium</i>	.25	<i>Campanula raddeana</i>	.20
<i>Aethionema pulchellum</i>	.30	<i>Campanula saxifraga</i>	.50
<i>Aethionema stylosum</i>	.35	<i>Campanula stenocodon</i>	.50
<i>Aethionema Warley hybrid</i>	.35	<i>Campanula turbinata</i>	.35
<i>Alyssum saxatile</i>	.20	<i>Commelina coelestis</i>	.40
<i>Alyssum serpyllifolium</i>	.30	<i>Dianthus neglectus</i>	.25
<i>Alyssum spinosum</i>	.35	<i>Draba aeizoon</i>	.30
<i>Androsace brigantiaca</i>	.40	<i>Draba cuspidata</i>	.30
<i>Androsace chumbyi</i>	.30	<i>Draba pyrenaica</i>	.75
<i>Androsace foliosa</i>	.40	<i>Draba frigida</i>	.50
<i>Androsace carnea laggeri</i>	1.00	<i>Epimedium sulphureum</i>	.40
<i>Androsace lanuginosa</i>	.30	<i>Erodium chmaedryoides roseum</i>	.50
<i>Androsace leichtlini</i>	.30	<i>Erodium petraeum</i>	.50
<i>Androsace primuloides</i>	.35	<i>Eryngium prostratum</i>	.50
<i>Androsace sarmentosa</i>	.30	<i>Erythraea diffusa</i>	.35
<i>Androsace sempervivoides</i>	.50	<i>Gentiana acaulis</i>	.75
<i>Androsace vittaliana</i>	.30	<i>Gentiana excisa</i>	.75
<i>Anemone halleri</i>	.35	<i>Gentiana farreri</i>	.75
<i>Anemone sylvestris</i>	.25	<i>Gentiana gentianella</i>	.75
<i>Aquilegia alpina</i>	.25	<i>Gentiana kurroo</i>	.50
<i>Aquilegia flabellata nana</i>	.35	<i>Gentiana lagodechiana</i>	.50
<i>Armeria caespitosa</i>	.40	<i>Gentiana prolata</i>	.75
<i>Aster lichiangensis</i>	.50	<i>Gentiana purdomi</i>	.50
<i>Aster farreri</i>	.35	<i>Gentiana septemfida</i>	.50
<i>Astilbe simplicifolia rosea</i>	.50	<i>Gentiana sino-ornata</i>	.35
<i>Astragalus monspessulanus</i>	.30	<i>Gentiana sino-ornata, very dark</i>	.35
<i>Aubrieta, crimson rose</i>	.30	<i>Geranium cinereum</i>	.50
<i>Aubrieta, dark purple</i>	.35	<i>Geranium lancastriense</i>	.30
<i>Aubrieta, red purple</i>	.30	<i>Geranium pylzowianum</i>	.40
<i>Bellis coerulescens</i>	.20	<i>Geranium sanguineum</i>	.25
<i>Campanula allioni</i>	.75	<i>Geranium wallichianum</i>	.25
<i>Campanula gorganica</i>	.20	<i>Haberlea ferdinandi-coburgi</i>	1.00
<i>Campanula istriaca</i>	.50	<i>Haberlea rhodopensis</i>	1.00
<i>Campanula macrorrhiza</i>	.50	<i>Horminum pyrenaicum</i>	.30
<i>Campanula miranda</i>	.25	<i>Houstonia, Millard's variety</i>	.50
<i>Campanula miranda alba</i>	.25	<i>Hutchinsia alpina</i>	.25
<i>Campanula portenschlagiana</i>	.25	<i>Hypericum coris</i>	.30
<i>Campanula pseudo-raineri</i>	.50	<i>Hypericum reptans</i>	.40
		<i>Inula ensifolia</i>	.30
		<i>Iris arenaria</i>	.75
		<i>Iris gracillipes</i>	.60
		<i>Iris reticulata</i>	.25
		<i>Iris tricuspis</i>	.50
		<i>Leontopodium alpinum</i>	.25
		<i>Omphalodes cappadocica</i>	.30
		<i>Omphalodes verna</i>	.35
		<i>Oxalis adenophylla</i>	.50

<i>Papaver alpinum</i>	.25
<i>Phyteuma scheuchzeri</i>	.25
<i>Potentilla nitida</i>	.75
<i>Primula auricula alpina</i>	.35
<i>Primula cashmeriana</i>	.30
<i>Primula chionantha</i>	.50
<i>Primula farinosa</i>	.35
<i>Primula frondosa</i>	.30
<i>Primula hirsutum</i>	.75
<i>Primula juliae</i>	.35
<i>Primula littoniana</i>	.60
<i>Primula marginata</i>	.75
<i>Primula minima</i>	1.00
<i>Primula moerheimi</i>	.30
<i>Primula nutans</i>	.75
<i>Primula rosea</i>	.50
<i>Primula sikkimensis</i>	.50
<i>Primula spectabilis</i>	.75
<i>Primula veitchi</i>	.35
<i>Primula vincaeflora</i>	1.00
<i>Primula waltoni</i>	.35
<i>Primula wardi</i>	.75
<i>Primula wulfeniana</i>	.75
<i>Prunella grandiflora</i>	.25
<i>Ramondia nataliae</i>	1.00
<i>Ramondia pyrenaica</i>	1.00
<i>Saxifraga aeizoon labradorica</i>	.35
<i>Saxifraga aeizoon lutea</i>	.35
<i>Saxifraga aeizoon notata</i>	.35
<i>Saxifraga aeizoon rosea</i>	.35
<i>Saxifraga aeizoon rex</i>	.50
<i>Saxifraga aeizoon rosularis</i>	.35
<i>Saxifraga apiculata</i>	.35
<i>Saxifraga apiculata alba</i>	.30
<i>Saxifraga baldensis</i>	.50
<i>Saxifraga borisi</i>	.65
<i>Saxifraga boryi</i>	.60
<i>Saxifraga burseriana magna</i>	.75
<i>Saxifraga burseriana minor</i>	1.00
<i>Saxifraga burseriana sulphurea</i>	.75
<i>Saxifraga cartilaginea</i>	.25
<i>Saxifraga chalentiana</i>	.50
<i>Saxifraga cochlearis</i>	.25
<i>Saxifraga cotyledon</i>	.75
<i>Saxifraga Dr. Ramsey</i>	.50
<i>Saxifraga elizabethae</i>	.35
<i>Saxifraga faldonside</i>	1.00
<i>Saxifraga ferdinandi-coburgi</i>	.40
<i>Saxifraga gaudini</i>	.35

<i>Saxifraga grisebachii</i>	1.25
<i>Saxifraga haagi</i>	.50
<i>Saxifraga hostii</i>	.50
<i>Saxifraga irvingii</i>	1.00
<i>Saxifraga juniperiana</i>	.50
<i>Saxifraga lagaveana</i>	.25
<i>Saxifraga lilacina</i>	1.25
<i>Saxifraga lingulata albertii</i>	.35
<i>Saxifraga longifolia</i>	.40
<i>Saxifraga marginata</i>	.75
<i>Saxifraga media</i>	1.00
<i>Saxifraga obristii</i>	.75
<i>Saxifraga oppositifolia</i>	1.00
<i>Saxifraga oppositifolia hybrid</i>	1.25
<i>Saxifraga paulinae</i>	1.00
<i>Saxifraga pectinata</i>	.35
<i>Saxifraga retusa</i>	1.25
<i>Saxifraga petraschi</i>	1.00
<i>Saxifraga sancta</i>	.50
<i>Saxifraga scardica</i>	.75
<i>Saxifraga stanborgii</i>	.35
<i>Saxifraga stenoglossa</i>	.35

Following Sedums, each .20

S. album; anglicum; brevifolium; corsicum; murale; rupestre; sarmentosum; sexangulare.

Following Semper vivums, each .25

S. arachnoideum; arenarium; braunii; calcareum; doellianum; fauconnetii; fimbriatum; glaucum; globiferum; juratense; laggeri; montanum; pittioni; pottsii; rubicundum; triste.

<i>Silene acaulis carminea</i>	.50
<i>Silene pudibunda</i>	.25
<i>Soldanella alpina</i>	.50
<i>Statice minuta</i>	.35
<i>Thymus lanuginosus</i>	.25
<i>Thymus serpyllum albus</i>	.25
<i>Thymus serpyllum coccineus</i>	.25
<i>Veronica incana</i>	.30
<i>Veronica rupestris</i>	.30
<i>Viola rosina</i>	.25

Foreign Rock Shrubs

Azalea J. T. Lovett	.50-1.50
Azalea micrantha hybrid	.50
Azalea obtusa	.50
Bruckenthalia spiculifolia	.75
Calluna vulgaris nana	.50
Cistus laurifolius	.50
Cotoneaster sp. Jap., prostrate	.75
Cotoneaster dammeri	.50
Cotoneaster microphylla glacialis	.75
Cotoneaster rotundifolia prostrata	.75
Cytisus ardoini	.75
Cytisus decumbens	.50
Cytisus kewensis	.75
Cytisus schipkaense	.75
Daphne blagayana	3.00
Daphne cneorum	.50-1.50
Daphne mezereum	.35-1.00
Dryas sundermanni	.35
Erica ciliaris	.50
Erica St. Keverne	1.00
Erica tetralix	.50
Euonymus kewensis	.50
Genista dalmatica	.75
Genista horrida	1.00
Genista radiata	.75
Genista saggitalis	.50
Globularia nana	.60
Hedera helix conglomerata	.35
Ilex crenata	.75
Jasminum parkeri	2.00
Lavendula, French dwarf	.50
Polygala chamaebuxus	.50
Polygala varedae	.60
Polygonum vaccinifolium	.50
Rhododendron chryseum	1.00
Rhododendron ferrugineum	.50
Rhododendron impeditum	.50-2.25
Rhododendron mucronulatum	.75
Rhododendron racemosum	.75-1.50
Rhododendron virgatum	1.50-3.00
Rosa rouletti	.50
Spiraea bullata	.75
Vaccinium vitis-idaea	.50
Vaccinium vitis-idaea minor	.75
Veronica gutheriana	.40
Veronica hectori	.40

Native Alpine Plants and Shrubs

<i>Anemone drummondii</i>	.35
<i>Arenaria</i> sp.	.60
<i>Arenaria sajanensis</i>	.50
<i>Boykinia jamesii</i>	.35
<i>Calopogon pulchellus</i>	.35
<i>Caltha leptosepala</i>	.35
<i>Chamaebatiaria millefolium</i>	1.50
<i>Cypripedium montanum</i>	.50
<i>Douglasia laevigata</i>	.50
<i>Dryas drummondii</i>	.50
<i>Dryas octopetala</i>	.35
<i>Epigaea repens</i>	.50-1.00
<i>Equisetum variegatum</i>	.50
<i>Galax aphylla</i>	.50
<i>Gaultheria procumbens</i>	.50
<i>Gentiana affinis</i>	.60
<i>Gentiana orfordii</i>	.60
<i>Gentiana setosa</i>	.75
<i>Gormania watsonii</i>	.35
<i>Habenaria psycodes</i>	.50
<i>Hepatica triloba</i>	.50
<i>Houstonia coerulea</i>	.25
<i>Houstonia serpyllifolia</i>	.25
<i>Hydastylus borealis</i>	.50
<i>Iris chrysophylla</i>	.50
<i>Iris cristata</i>	.25
<i>Iris verna</i>	.35
<i>Jeffersonia diphylla</i>	.50
<i>Leiophyllum prostratum</i>	1.50
<i>Lewisia columbiana rosea</i>	.35
<i>Lewisia howelli</i>	.50
<i>Lewisia tweedyi</i>	.75
<i>Lutkea pectinata</i>	.35
<i>Mimulus lewisi</i>	.35
<i>Mimulus primuloides</i>	.50
<i>Orchis spectabilis</i>	.50
<i>Pentstemon barrettiae</i>	.35-.75
<i>Pentstemon diffusus</i>	.35
<i>Pentstemon menziesii</i>	.50
<i>Pentstemon menziesii davidsonii</i>	.35
<i>Pentstemon rupicola</i>	.50
<i>Phlox adsurgens</i>	.50
<i>Phlox divaricata</i>	.25
<i>Phlox verna</i>	.25
<i>Polemonium elegans</i>	.25

Polemonium carneum	.50
Potentilla nevadensis	.35
Potentilla tridentata	.25
Primula parryi	.50
Rodiola rosea	.20
Rosa foliosa alba	.50
Saxifraga caespitosa, true one	.50
Sedum divergens	.25
Sedum obtusifolium	.35
Sedum oreganum	.25
Sedum rupicola, new species	.60
Sedum spathulifolium	.25
Sedum spathulifolium rubrum	.50
Sedum stenopetalum	.25
Shortia galacifolia	.50
Silene acaulis	.35
Sisyrinchium inflatum	.50
Sisyrinchium inflatum album	.75
Spiraea caespitosa	1.00
Spiraea hendersoni	1.00
Stylophorum diphyllum	.35
Trillium grandiflorum, a dozen	.60
Trillium stylosum, a dozen	.60
Viola cucullata	.20
Viola fletti	1.00
Viola pedata	.35
Viola pedata bicolor	.40
Viola pedatifida	.40

Native Rock Ferns

Asplenium trichomanes	.35
Botrychium silaifolium	.50
Cheilanthes gracillima	.50
Pellaea brachyptera	.75
Pellaea bridgesi	.75
Pellaea densa	.35
Phegopteris phegopteris	.50
Polystichum viviparum, large (India)	1.00

Dwarf Conifers

Chamaecyparis minima glauca	2.00
Chamaecyparis nana	.75
Chamaecyparis obtusa lycopodioides	2.50
Chamaecyparis obtusa nana	.75

Cryptomeria japonica nana	.75
Juniperus horizontalis	.75-1.50
Juniperus japonica aurea	1.00
Picea alberta conica glauca	1.50
Pinus mugho	.75
Taxus canadensis	.60
Taxus cuspidata nana	1.00

Miscellaneous

Aralia cordata	.75
Leucothoe racemosa	.75
Pieris japonica	.75
Pieris floribunda	.75
Viburnum rhytidophyllum	.75

Postage or express on plants is charged to the purchaser.

JULIUS ANTHON

2215 East 46th Street
SEATTLE, WASHINGTON, U.S.A.
Phone KENwood 4939

Prices subject to change in accord with Code.